

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

R

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 : G06F 19/00, 17/00	A1	(11) International Publication Number: WO 99/30265 (43) International Publication Date: 17 June 1999 (17.06.99)
---	----	--

(21) International Application Number: PCT/US98/26286

(22) International Filing Date: 10 December 1998 (10.12.98)

(30) Priority Data:
08/989,040 11 December 1997 (11.12.97) US(71) Applicant: EASTMAN CHEMICAL COMPANY [US/US];
Building 75, 100 N. Eastman Road, Kingsport, TN 37660 (US).

(72) Inventors: PETKE, Frederick, David; 5405 Heritage Lane, Kingsport, TN 37664 (US). HICKMAN, D., Russell; 112 Chippendale Square, Kingsport, TN 37660 (US). GRAHAM, William, D., Jr.; 204 Willowbend Lane, Kingsport, TN 37660 (US).

(74) Agents: BIGEL, Mitchell, S. et al.; Myers, Bigel, Sibley, & Sajovec, P.A., P.O. Box 37428, Raleigh, NC 27627 (US).

(81) Designated States: BR, CN, JP, MX, SG, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).


Published

With international search report.

(54) Title: SYSTEMS, METHODS AND COMPUTER PROGRAM PRODUCTS FOR DETERMINING COMPLIANCE OF CHEMICAL PRODUCTS TO GOVERNMENT REGULATIONS

(57) Abstract

Systems, methods and computer program products (100) determine compliance of a chemical product to be manufactured to government regulations (131) that govern the manufactured product. According to the invention, the chemical compositions (122) that are present in the chemical product to be manufactured are ascertained (120). The chemical compositions (122) so ascertained (120) are compared to a stored set of government regulatory standards (131) related to the chemical compositions (122) to determine compliance (130). Accordingly, compliance (130) with complex government regulations (131) governing chemical products can be determined.



Best Available Copy

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

**SYSTEMS, METHODS AND COMPUTER PROGRAM PRODUCTS FOR
DETERMINING COMPLIANCE OF CHEMICAL PRODUCTS TO
GOVERNMENT REGULATIONS**

Field of the Invention

This invention relates to computer integrated manufacturing systems, methods and computer program products, and more particularly to systems, methods and computer program products for chemical product manufacturing.

5

Background of the Invention

The manufacture of chemical products is becoming increasingly complicated as worldwide demand for chemical products, and the complexity of the products, continue to increase. Modern chemical plants are sprawling complexes, employing
10 hundreds or thousands of employees to manufacture many diverse chemicals.

Computer systems, methods and program products have been widely used for chemical process control. For example, a well known enterprise resource planning computer product is SAP Release 2, which is marketed by SAP AG. SAP, Release 2 can provide automated product sales order entry and can also track manufacturing
15 bills of materials that are used in a chemical plant to manufacture chemical products. Such enterprise resource planning products allow a manufacturer to track orders, inventory and manufacturing operations for a complex chemical plant.

Due to the toxic nature of certain chemicals, the chemical industry is regulated by many national and local laws. For example, in the United States, the Toxic
20 Substances Control Act (TSCA) is a complex set of regulations that govern the manufacture and use of chemicals. Failure to comply with TSCA regulations can result in severe penalties for a chemical manufacturer. Unfortunately, compliance with TSCA and other regulations is becoming increasingly complicated due to the increasing number and complexity of chemical products that are being produced, and

the increasing number and complexity of regulations that govern the manufactured products.

Summary of the Invention

The present invention includes systems, methods and computer program
5 products for determining compliance of a chemical product to be manufactured to
government regulations that govern the manufactured product. According to the
invention, the chemical compositions that are present in the chemical product to be
manufactured are ascertained. The chemical compositions so ascertained are
compared to a stored set of government regulatory standards related to the chemical
10 compositions to determine compliance. Accordingly, compliance with complex
government regulations governing chemical products can be determined.

The chemical compositions that are present in the chemical product to be
manufactured may be ascertained by obtaining a bill of materials comprising the
chemical components of the chemical product to be manufactured. The bill of
15 materials may be compared to a "recipe" that is used in a chemical process to
manufacture the chemical product. The bill of materials is used to derive the
chemical compositions that are present in the manufactured chemical product. The
chemical compositions that are present in the chemical product to be manufactured
may be ascertained in foreground processing in response to receipt of a customer
20 order for a chemical product. Alternatively, ascertaining the chemical compositions
that are present in the chemical product may be performed in background processing,
wherein the chemical compositions that are present in a plurality of chemical products
that can be manufactured in a chemical plant are ascertained. Then, in response to a
customer order for a chemical product selected from the plurality of chemical
25 products, the chemical composition that was ascertained for the selected chemical
product is retrieved.

The chemical compositions that are present in the chemical product to be
manufactured may be ascertained by identifying a manufacturing bill of materials that
is associated with the chemical product and then creating a regulatory bill of materials
30 from the manufacturing bill of materials. More specifically, a manufacturing bill of
materials that includes the chemical components of the chemical product to be
manufactured is obtained. For each component, a component class to which the

component belongs is then assigned. Component classes may be used to allow the compliance determining system to deduce the components of the final chemical product from knowledge of how the components are used in the manufacturing process. Accordingly, the component classes include the class of bases, additives, reactants and monomers and others. Based on the assigned component classes, the chemical compositions are determined. This determination will generally vary based on whether the chemical composition results from a reaction, a mixture or a polymerization.

According to another aspect of the present invention, the chemical product may include impurities that are not part of the chemical product, but are nonetheless important for regulatory purposes. According to this aspect of the invention, impurities may be accounted for in the chemical composition that is ascertained. More specifically, known impurities may be added to the chemical composition of the chemical product. Alternatively, impurities may be added to the bill of materials to represent impurities that are present in the chemical product in addition to the chemical compositions of the manufactured chemical product. Then, the chemical compositions present in the manufactured chemical product that is derived, including the chemical compositions of the impurities.

Having ascertained the chemical compositions that are present in the chemical product to be manufactured, the chemical compositions so ascertained are compared to a stored set of government regulatory standards relating to the chemical compositions to determine compliance. Comparison may be performed by comparing the chemical compositions so ascertained to a stored set of government regulatory standards governing the manufacturing location for the manufactured chemical product. The chemical compositions so ascertained are also compared to a stored set of government regulatory standards governing the destination location for the manufactured chemical product.

Upon completion of the comparison, the chemical product to manufactured may be flagged as complying with all regulations or as noncomplying. If noncomplying, the particular regulations to which the chemical composition does not comply may be flagged. According to another aspect of the invention, modifications may be proposed to noncomplying chemical products, so that the chemical product to

be manufactured becomes complying. For example, an expert system may be used that can suggest substitutions for components in mixtures that are not on the inventory of existing substances for the shipped-to country.

The systems, methods and computer program products for ascertaining which chemical compositions are present in a chemical product to be manufactured may be used independent of the systems, methods and computer program products for determining compliance of the chemical product to be manufactured to government regulations that govern the manufactured product. For example, the ascertaining of chemical compositions may be used to determine the total output of a chemical product from a chemical plant. Similarly, comparing chemical compositions to a stored set of government regulatory standards relating to the chemical compositions to determine compliance may take place for a known chemical composition, the composition of which is not ascertained from a manufacturing bill of materials. Accordingly, the ascertaining and comparing aspects of the present invention may be used independently. However, preferably, the ascertaining and comparing aspects of the present invention are used together to provide improved methods, systems and computer program products for determining compliance of a chemical product to manufactured to government regulations that govern the manufactured chemical product.

Brief Description of the Drawings

Figure 1 is a block diagram of systems, methods and computer program products for determining compliance of the chemical product to be manufactured to government regulations that govern the manufactured product, according to the invention.

Figure 2 illustrates chemical composition deriving of Figure 1.

Figures 3A and 3B, which together form Figure 3 as indicated, indicate calculating a polymer regulatory bill of material of Figure 2.

Figure 4 illustrates calculating a mixture regulatory bill of material of Figure 2.

30 2.

Figures 5A and 5B, which together form Figure 5 as indicated, illustrate regulatory databases of Figure 1.

Figures 6A, 6B and 6C, which together form Figure 6 as indicated, illustrate regulatory compliance verifying of Figure 1.

Figures 7A and 7B, which together form Figure 7 as indicated, illustrate restriction checks of Figure 6.

5

Detailed Description of Preferred Embodiments

The present invention now will be described more fully hereinafter with reference to the accompanying drawings, in which preferred embodiments of the invention are shown. This invention may, however, be embodied in many different
10 forms and should not be construed as limited to the embodiments set forth herein; rather, these embodiments are provided so that this disclosure will be thorough and complete, and will fully convey the scope of the invention to those skilled in the art. Like numbers refer to like elements throughout.

The present invention will now be described using the block diagrams of
15 Figures 1-7. It will be understood that each element of the illustrations, and combinations of elements in the illustrations, can be implemented by general and/or special purpose hardware-based systems that perform the specified functions or steps, or by combinations of general and/or special purpose hardware and computer instructions.

20 These program instructions may be provided to a processor to produce a machine, such that the instructions that execute on the processor create means for implementing the functions specified in the illustrations. The computer program instructions may be executed by a processor to cause a series of operational steps to be performed by the processor to produce a computer implemented process such that
25 the instructions which execute on the processor provide steps for implementing the functions specified in the illustrations. Accordingly, Figures 1-7 support combinations of means for performing the specified functions, combinations of steps for performing the specified functions and program instruction means for performing the specified functions.

30

Overview

Referring now to Figure 1, an architecture of systems, methods and computer program products for determining compliance of a chemical product to be manufactured to government regulations that govern the manufactured product according to the invention, will now be described. It will be understood that systems, methods and computer program products 100 according to the present invention are preferably implemented as a stored program that executes on a data processing system. A legacy data processing system, such as an IBM Model S/390 may be used. Alternatively, however, midrange or personal system and a network of legacy, midrange and personal systems may be used.

As also shown in Figure 1, the present invention may include three major components: enterprise resource planning 110, composition ascertaining 120 and compliance comparing 130. Briefly, enterprise resource planning 110 may be a legacy system that is used for automated product sales order entry and for maintenance of manufacturing bills of materials that are used in chemical product manufacturing. As will be described below, manufacturing bills of materials may be modified to include component classes. An example of an enterprise resource planning system that may be used for component 110 is the aforementioned SAP system.

Composition ascertaining 120 ascertains which chemical compositions are present in the chemical product to be manufactured. As will be described below, the chemical compositions may be ascertained in foreground or background processing. Compliance comparing 130 compares the chemical compositions so ascertained to a stored set of government regulatory standards relating to the chemical compositions to determine compliance.

A more detailed description of enterprise resource planning 110, composition ascertaining 120 and compliance comparing 130 will now be provided. More specifically, enterprise resource planning 110 includes automated product sales order entry 111 that is responsive to a customer order for a product 112. Automated product sales order entry 111 interacts with manufacturing maintenance 113 to provide computer integrated manufacturing, using techniques well known to those having skill in the art. Manufacturing maintenance 113 is responsive to a material

- 7 -

master file 114 to create a manufacturing bill of materials (BOM) 115. The manufacturing bill of materials is a list of materials that is used in the chemical manufacturing process to manufacture a product. As will be described below, manufacturing bills of materials according to the present invention include a component class 116 associated with each material component in the manufacturing bill of materials. The component class is used by the composition ascertaining 120 in order to ascertain which chemical compositions are present in the chemical product to be manufactured.

Additional description of composition ascertaining 120 will now be provided. As shown in Figure 1, chemical composition deriving 121 uses the manufacturing bills of materials 115, including the component classes 116 to derive material chemical compositions, also known as regulatory bills of materials 122 that define the chemical compositions that are present in the chemical product to be manufactured. As will be described in detail below, chemical composition deriving 121 uses the component classes 116 to determine the chemical compositions 122.

Composition ascertaining 120 also includes manual adjusting 123. As will be described below, manual adjusting may be used to account for impurities that may be part of the chemical composition, even though they are not officially part of the manufacturing bill of materials 115. If it is known that impurities are contained in the chemical composition, manual adjusting 123 may be used to add impurities to the chemical composition 122 to account for impurities that are present in the manufactured chemical product. Alternatively, as shown in Figure 1, manual adjusting may be used to adjust the manufacturing maintenance 113, so that the manufacturing bill of materials 115 also includes the impurities that will be included in the chemical compositions 122.

The chemical compositions (regulatory bills of materials) 122 are provided to compliance comparing 130. Compliance comparing 130 includes regulatory databases 131 that can include a list of regulations that apply to chemical products. The regulatory databases may be maintained 132 by adding new regulations or updating existing regulations. The regulatory databases 131, chemical compositions 122 and customer orders 112 are input to compliance verifying 133.

Compliance verifying 133 compares the chemical compositions 122 to the stored set of government regulatory standards in the regulatory databases 131 for a customer order 112, in order to determine whether the chemical product to be manufactured complies with government regulations that govern the manufactured product. Regulatory compliance verifying 133 can produce a verified order 134 that indicates that the chemical compositions do comply with the applicable government regulations, or may produce an exceptions list 135 that indicate particular chemical compositions and/or regulations that are violated. As another alternative, modifications 136 may be suggested to render the chemical composition complying.

10 A detailed description of enterprise resource planning 110, composition ascertaining 120 and compliance comparing 130 of compliance determining methods, systems and computer program products 100 will now be provided. In order to provide consistent terminology, definitions will first be provided.

15 Definitions

The following definitions apply herein unless otherwise specified:

Material: A Material is a substance or article used in or incidental to, the manufacture of other Materials or a Target Material in a chemical manufacturing process.

20 Target Material: A Target Material, also known as a chemical composition, is a material to be produced by a chemical manufacturing process according to a Manufacturing Bill of Material. A unique Target Material may be differentiated by packaging materials. For example, acetic acid may be a Material but bulk acetic acid, acetic acid in 55 gallon drums, and acetic acid in 1 quart sample jars, are three unique
25 Target Materials.

Manufacturing Bill of Material: This is a list of materials used in a chemical manufacturing process to produce a Target Material. A Manufacturing Bill of Material may also be referred to as a "recipe" that is used in manufacturing. The Materials may chemically react to form a new chemical, or they may form a physical
30 mixture. Alternatively, polymerization may take place. A Manufacturing Bill of Material may also contain materials that do not become part of the final target

material, such as solvents and catalysts. A Manufacturing Bill of Material may also contain materials that are used to package the Target Material.

Regulatory Bill of Material, also referred to as a Chemical Composition: This is a list of chemicals present in a Material that are relevant for checking the Material's regulatory compliance. It will be understood that the Chemical Compositions or Regulatory Bills of Material are not true chemical analyses or chemical standards for the Material and generally are not used in assay analyses or other similar processes. Rather, the Regulatory Bill of Material includes only those materials that are relevant for regulatory compliance verifying. Regulatory Bills of Materials are maintained for the Target Material family because the family represents the chemical makeup of the Target Material.

Chemical Identifier: This uniquely identifies a chemical substance (such as benzene, toluene or polyester), or a chemical identification of a physical mixture, such as 20% water, 80% methanol.

Material Family, also referred to as "Family": This is a general inventory grouping of Materials used to isolate the chemical nature of the Materials in the group. Families ignore differences in Material identifications stemming from packaging, manufacturing location, etc. For example, "Family A" could represent "acetic acid", grouping 3 materials: "bulk acetic acid", "acetic acid in 55 gallon drums" and "acetic acid in one quart sample jars". Each Family has an associated chemical identifier that indicates the primary chemical substance or mixture associated with it. This chemical identifier generally does not represent a Bill of Material.

Component Class: These are chemical classifications assigned to a Material component in a Manufacturing Bill of Material. The component class is used to filter components that are relevant for deriving a Regulatory Bill of Material from a Manufacturing Bill of Material. The following component classes may be used for derivation rules: BAS (Base); ADD (Additive); REA (Reactant); MON (Monomer); and IMP (Impurity). The following Component Classes may be ignored in the derivation process, but may be used to help clarify the role a given component plays in a specific Bill of Materials: CAT (Catalyst); SOL (Solvent); PAC (Packaging); and

IGN (Ignore-special component). Component Classes will be described in detail below in connection with enterprise resource planning 110.

Enterprise Resource Planning 110

5 Enterprise resource planning according to the present invention will now be described. Enterprise resource planning 110 can include automated product sales order entry 111 that responds to customer orders for a product 112. Manufacturing maintenance component 113 is responsive to a material master file to generate Manufacturing Bills of Materials 115. Blocks 111, 112, 113, 114 and 115 are well
10 known to those having skill in the art and need not be described in detail herein. However, modifications to manufacturing maintenance 113 and Manufacturing Bills of Materials 115 to add component classifications 116 according to the invention, will now be described in detail.

 Conventionally, manufacturing maintenance 113 is used to select a
15 Manufacturing Bill of Materials 115 from material master file 114 to provide a recipe for manufacturing a chemical product.

 A Component Classification (also referred to as a "Component Class") is assigned to each component of a Manufacturing BOM. Component Classes to be assigned are:

20 ADD-One of a set of additive components added to a base material in order to form a mixture.

 BAS-Base material of a mixture.

 CAT-Catalyst component, not considered a part of the final product.

 IGN-Material to be ignored.

25 IMP-Impurity.

 MON-Monomer used to form a polymer.

 PAC-Packaging material.

 REA-A chemical reactant.

 SOL-Solvents and other processing aids which do not appear in the final
30 product.

 TAR-The Target Material for which a Regulatory BOM is desired

Component Classifications 116 are assigned to Manufacturing BOM 115 components so that the components of the Regulatory BOM 122 can be deduced from knowledge of how the components are used in the manufacturing process. Chemical manufacturing processes generally fall into one of four categories:

5 Reaction-chemical components are reacted, sometimes in the presence of catalysts and processing aids, to create a new chemical, perhaps with byproducts. Examples: the manufacture of various acids, solvents, esters, etc.

 Mixture-Different chemical components are blended to create a mixture, usually with a base chemical with various additives. Examples:
10 compounded plastics, chemical blends, denatured alcohols, acetate fibers.

 Polymerization-Monomers are formed into polymers, sometimes with the aid of catalysts and the addition of various additives. Examples: polyethylene, polyester.

 Packaging-An already-produced target material, stored in bulk, is
15 packaged into a drum, bag, box, etc.

 Generally, the different processes will have certain component classifications in their BOMs that will be used to derive the proper final product components. The components that generally are relevant to the derivation procedures are ADD, BAS, MON and REA, as they are actually used to determine the type of process and
20 components to appear in the final product composition stored in the Regulatory BOM. The general approach for each is as follows:

 Reaction-The following component classifications may be found:

 CAT-catalyst.

 IGN-material to be ignored, such as rework material that may
25 occasionally be fed back into the process. Also, byproducts should be marked IGN.

 PAC-packaging, if the packaging step is also included.

 REA-the actual reactants.

 SOL-processing aids or solvents.

30 In a reaction, all the reactants disappear as they convert into the final product, and the other components disappear as not relevant. In this case, the chemical composition deriving 121 will assume this is a reaction process and the derived

- 12 -

component of the Regulatory BOM 122 will be just the final product itself, i.e., it is "pure" and there are no additional components. No BAS, MON or TAR components should appear. If they appear, they are considered errors.

5 In some cases, there may be one or more ADD materials on the BOM if the process is truly a mixture of a reactant material (which would be a base material) with additives. In SAP, this may be represented in a single BOM and a routing operation.

Mixture-The following component classifications should be found:

ADD-the additive components of the mixture.

BAS-the base material of the mixture.

10 IGN-material to be ignored, usually rework material that may be added to the process.

PAC-packaging, if the packaging step is also included.

SOL-processing aids that may be used in mixing the material but which do not appear in the final product. "Solvent" which is a part of

15 the final product should be considered an ADD.

All BAS and ADD material will be considered relevant to the final composition and will be included in the Regulatory BOM. No MON or REA components should appear. If they do, it will be considered an error.

Polymerization-The following component classifications should be found:

20 ADD-additive components in the polymer.

CAT-catalyst.

IGN-material to be ignored, usually rework material that may be added to the process.

MON-the monomers which are being used to form the polymer.

25 PAC-packaging, if the packaging step is also included.

SOL-processing aid.

The MON components will be used to access a table from which the corresponding polymer for the given monomers will be derived. Any ADD components will also go into the final product composition BOM, along with the
30 polymer. No BAS, REA or TAR components should appear. If they do, they will be considered an error.

Packaging-Only the following component classifications should be found:

- 13 -

TAR-the produced, bulk materials.

PAC-the packaging components.

The target material is put into the packaging materials. It is assumed that the product components are derived earlier from the BOM of the bulk material. In this case, no final component derivation will take place since this material is in the same family.

Examples of the different classifications will now be provided.

Example 1-All Reactants Yield a Single Product, Bulk Liquid Chemical

N-butyl acetate is manufactured from n-butyl alcohol and acetic acid. All materials are reactants and the regulatory component is derived assuming the final product is a non-mixture, single chemical.

The composition of the product, n-butyl acetate, will be derived from the components of the Bill of Materials for its manufacture. This component will be shown as 100% of the final product.

Display Single-Level BOM

--- Item overview - assembly

--- Item overview - assembly					
20	Material no. P0005600		N-BUTYL ACETATE,BU		
	BOM number.. P0005600				
	Base qty.... 1,000.000		KG		
<hr/>					
25	ItNo Component		Qty	Un	Class
	Description				
	0010 P0004200		647.824	KG	REA
	N-BUTYL ALCOHOL,BU				
	0020 P0985300		508.925	KG	REA
ACETIC ACID,BU					

Example 2 - Reactants With Other Components, Derivation Possible

In the manufacture of the cellulose acetate propionate plastic ester shown below, there are other components that are not carried into the final product

- 14 -

composition. In this case, the material still appears as if it is produced from all reactant materials. The only component is then 01861-00, which makes up 100% of the plastic.

5 Display Single-Level BOM

—— Item overview - assembly

Material no. P0186100

CAP,BU

BOM number.. P0186100

Base qty.... 1,000.000

KG

10

ItNo	Component	Qty	Un	Class
	Description			
	0010 P1569100	648.880	KG	REA
	CELLULOSE,BU			
15	0020 P0469800	18.058	KG	CAT
	SULFURIC ACID,BU			
	0030 P1203600	17.255	KG	REA
	ACETIC ACID,BU			
	0040 P0027660	1,776.494	KG	REA
20	PROPIONIC ACID,BU			
	0050 P0015040	2,123.606	KG	REA
	PROPIONIC ANHY,BU			
	0060 P0002194	4,419.320	KG	REA
	ACETIC ACID,BU			
25	0070 P0027693	3,464.704	KG	IGN
	PROPIONIC ACID, BU			
	0080 P0002193	4,376.025	KG	IGN
	ACETIC ACID,BU			
	0120 P0460501	0.250	KG	ADD
30	ADDITIVE I,50LB BG			
	0130 P0116701	0.151	KG	ADD
	ADDITIVE II, BG			

35 Example 3 – Reactants with Additives

In the example below, there are additives as part of the BOM for a reaction. The reactants are considered first to determine the desired product, then the additives are added back into the product. In this case the chlorinated polyolefin is the desired product and the stabilizer is the additive.

40

- 15 -

Display Single-Level BOM

--- Item overview - assembly

Material no. P0238100

CHLORINATED POLYOLEFIN IN XYLENE

BOM number.. P0238100

5 Base qty.... 5,568.000 KG

	ItNo	Component no.	Qty	Un	Class
		Description			
	0010	P0000700	1,043.487	KG	REA
10	-	CHLORINE,BU			
	0020	P0004000	3,674.098	KG	SOL
	-	ACETONE,BU			
	0030	P0040200	6,038.370	L	SOL
	-	XYLENE,MIXED,BU			
15	-	0040 P0068402	1,213.359	KG	SOL
	-	STABILIZER,DR			
	0060	P0326610	1,088.622	KG	REA
	-	MODIFIED POLYOLEFIN,50LB BG			

20

Example 4 - Chemical Mixture, Alcohol Blend

SDA 1 is created by denaturing pure ethanol with methanol and methyl isobutyl ketone (MIBK). The ethanol is shown as the base material, while the denaturants are shown as additives. The system will derive a composition BOM for

25 the Family that has components 01786-00, 00012-00, and 02039-00 in their corresponding proportions.

Display Single-Level BOM

--- Item overview - assembly

30 Material no. P1281900 SDA 1,ANH,BU

BOM number.. P1281900

Base qty.... 393.682 L

	ItNo	Component	Qty	Un	Class
		Description			
35	-	0010 P0178600	379.014	L	BAS
	-	ETHYL ALCOHOL,200 PROOF,BU			
	0020	P0001200	15.142	L	ADD
	-	METHANOL,BU			
40	-	0030 P0203900	3.046	KG	ADD
	-	MIBK,BU			

- 16 -

Example 5 - Plastic Mixture

This example illustrates the manufacture of a plastic mixture.

Display Single-Level BOM				
5	--- Item overview - assembly			
	Material no. 50000104	264A37200MS CLEAR TP,25KG BG		
	BOM number.. 50000104			
	Base qty.... 1,191.000	KG		
10	ItNo Component	Qty	Un	Class
	Description			
	_0010 CAB	1,000.000	KG	BAS
	_264			
	_0020 TC000204	5.000	KG	ADD
15	B-51 SOL BLUE LIQ.			
	_0030 TS000010	10.000	KG	ADD
	_15304 STABILIZER			
	_0040 P0041300	176.000	KG	ADD
	_DOA,BU			
20	_0050 TZBG001	47.640	EA	PAC
	CELLULOSICS BAGS, 25 KG			

Example 6 - Polyester Increased in Molecular Weight in the Solid State

- 25 Building up the molecular weight of a polyester polymer in the solid state is a special case because the final operation adds no components. The regulatory BOM is based on the composition of the precursor. Thus for each of these "built-up" polyesters, the family of the polyester is referenced to the family of the precursor polymer, using the composition family field. In the BOM below, polyester P15418FZ
- 30 (family 62500217) is treated to increase its molecular weight to become polyester P15419FZ (family 62500218). But 62500218 is referenced to 62500217 so the composition determination doesn't have to be redone.

- 17 -

Display Single-Level BOM

--- Item overview - assembly

Material no. P15419FZ PET 9921W,C1,C,BU

BOM number.. P15419FZ

5 Base qty.... 1,000.000 KG

ItNo	Component Description	Qty	Un	Class
10	0010 P15418FZ PET 12087,BU	1,005.060	KG	TAR

Display material - centrally

15 Object:
62500218

Cross Section.....

Turns Per Inch.....

20 Dope Number.....

Dope Color.....

Fiber Grade.....

Chemical Reactivity Class..... 13

Sales Restricted Flag.....

25 Quality Classification..... 1

Commercialized.....

Commercialization Date.....

Composition Family..... 62500217

30

The classifications of the components of the precursor are shown. Using the monomers, a table will be searched to determine the final PM composition of the monomer set.

- 18 -

Display Single-Level BOM

--- Item overview - assembly				
Material no. P15418FZ		PET 12087,C1,C,BU		
BOM number.. P15418FZ				
5	Base qty.... 1,000.000	KG		
<hr/>				
	ItNo Component no.	Qty	Un	Class
	Description			
	- 0030 P06792NZ	13.040	KG L V	MON
10	- CHDM,C1,K,BU			
	- 0040 P0138200	350.100	KG L V	MON
	- ETHYLENE GLYCOL,BU			
	- 0050 P0011500	2.220	KG L V	MON
	- DIETHYLENE GLYCOL,BU			
15	- 0070 P1506303	0.320	KG L V	CAT
	- CATALYST,WET,BX			
	- 0130 P14978S3	X.XX	%K L V	MON
	- MONOMER I,DR			
	- 0140 P14943S2	X.XX	%K L V	MON
20	- MONOMER II,DR			
	- 0150 P1549700	1.034	KG L V	CAT
	- CATALYST CONCENTRATE,BU			
	- 0160 P07327FZ	2.000-	KG L V	IGN
	- MIXED GLYCOL & MONOMER,C,BULK			
25	- 0170 P10597NZ	852.800	KG L V	M MON
	- PTA,CED,BULK			

Example 7 - Polyolefin

30	Display Single-Level BOM			
	--- Item overview - assembly			
	Material no. 50001346	POLYETHYLENE, BU		
	BOM number.. 50001346			
	Base qty.... 1,000.000	KG		
35				
	ItNo Component no.	Qty	Un	Class
	Description			
	- 0010 P0228707	0.375	KG	CAT
	- CATALYST I,CT			
40	- 0020 P0205207	0.047	KG	CAT
	- CATALYST II,CT			
	- 0030 P0207900	3.633	KG	SOL
	- MINERAL SPIRITS,BU			
	- 0040 P02004C0	1,000.000	KG	MON
45	- ETHYLENE,B-30,BU			

Example 8 - Amorphous polyolefin

Display Single-Level BOM

— Item overview - assembly

5 Material no. P0272203 POLYOLEFIN,MOLTEN,BU
 BOM number.. P0272203
 Base qty.... 20,000.000 KG

	ItNo	Component no.	Qty	Un	Class
10		Description			
	0010	P02006B0	17,376.090	KG	MON
		PROPYLENE,BU			
	0020	P02004H0	2,600.000	KG	MON
		ETHYLENE,BU			
15	0030	P02208P2	21.000	KG	ADD
		STABILIZER,DR			
	0040	P0267702	2.860	KG	CAT
		CATALYST I,DR			
	0050	P1533505	1.060	KG	CAT
20		CATALYST II,ANHY,CL			

Returning again to Figure 1, a production engineer utilizes manufacturing maintenance 113 to create Manufacturing Bills of Material 115 including Component
 25 Classifications 116. The production engineer will have cognizance of the end product and the type of classifications that are to be added.

It will be understood by those having skill in the art that Component Classifications 116 for a Manufacturing Bill of Materials 115 may be added using manufacturing maintenance 113 in background processing in response to anticipated
 30 production of a new Manufacturing Bill of Materials. Alternatively, Component Classifications 116 may be added in foreground processing in response to a receipt of a customer order for a product 112 by automated product sales order entry 111.

Composition Ascertaining 120

35 Composition ascertaining derives the Regulatory Bill of Materials 122. Chemical composition deriving 121 derives from the Bill of Materials the chemical compositions present in the manufactured chemical product, to thereby produce

chemical compositions 122, also referred to as Regulatory Bills of Materials. Manual adjusting 123 may be used to adjust the Regulatory Bills of Materials for impurities.

Referring now to Figure 2, chemical composition deriving (Block 121 of Figure 1) will now be described in detail. As shown at Block 201, the Target Material Manufacturing Bill of Materials 115 is read and those components that are relevant for ascertaining the Material's chemical composition are selected. A temporary table, referred to as a Derivation Table, of the selected components is then built. A test is then made, at Block 202, as to whether all the derivation table components are reactants (Class REA). If YES, then at Block 203 the Target Material's chemical identifier is 100% of the regulatory BOM composition and the regulatory BOM is built for the Target Material at Block 208. No further calculations need to be done.

On the other hand, if not all the Derivation Table components are reactants at Block 202, the new basis weight for the Target Material is recalculated, based on the selected component's weight in the original Manufacturing Bill of Materials, at Block 204. A test is then made at Block 205 as to whether there is at least one monomer (Class MON) in the derivation table components. If YES, the polymer regulatory BOM is calculated at Block 206. Details of calculating the polymer regulatory BOM will be provided in connection with Figure 3.

Returning to Block 205, if there is not at least one monomer in the derivation table components, then the regulatory BOM relates to a mixture. Accordingly, at Block 207, the regulatory BOM is calculated for the simple mixture of bases, additives and/or impurities. The calculation for the mixture regulatory BOM 122 for the Target Material is then built at Block 208.

Referring now to Figure 3, operations for calculating the polymer regulatory bill of materials (Block 206 of Figure 2) will now be described. Figures 3A and 3B together form Figure 3 as indicated. As shown at Block 301, for each component in the Derivation Table, the components classified as MONomers are retrieved. Then at Block 302 a temporary Polymer Derivation Table is built, substituting the monomer codes for each monomer. At Block 303, the chemical component ratios are calculated, summing any monomers which appear more than once in the Manufacturing BOM. This result is stored in the Polymer Derivation Table.

At Block 304, a new regulatory BOM percentage is calculated for each chemical in the Polymer Derivation Table. Then, referring to Block 305, an optional operation may discard all monomer chemicals found in the Polymer Derivation Table that are less than 2% by weight. This operation is performed because many
5 regulations do not require new regulatory compliance for polymers that contain less than 2% of an additional monomer. If this "2% Rule" is being used, then at Block 306 the regulatory BOM percentages are recalculated using the calculations shown in Block 306.

At Block 307, each monomer chemical in the Polymer Derivation Table is
10 then translated into its generic monomer code that is retrieved from the Monomer Code Table.

At Block 308, for the set of monomer codes derived from the above step, the monomers in the Monomer Set Table are used to find the corresponding monomer set, i.e., the set that contains *all* of the monomers in the Polymer Derivation Table and no
15 additional monomers. At Block 309, using the monomer set found at Block 308, the corresponding polymer chemical identifier for all the corresponding monomer chemicals is substituted in the adjusted Polymer Derivation Table.

Referring now to Figure 4, calculation of Regulatory Bills of Materials for mixtures (207 of Figure 2) will now be described. As shown in Block 401, for each
20 component in the Manufacturing BOM, the chemical identifier is retrieved. At Block 402 a temporary Chemical Derivation Table is built, substituting the chemical identifiers in the component family regulatory BOM for the components in the Manufacturing BOM. Then at Block 403 the chemical component ratios in the Chemical Derivation Table are calculated, summing for the chemicals that appear
25 more than once. The calculation is shown in Block 403, and the result is stored in the Chemical Derivation Table. Finally, at Block 404, the new regulatory BOM percentage is calculated for each chemical in the Chemical Derivation Table. The calculation is shown at Block 404. These results are stored in the Chemical Derivation Table.

Examples of Chemical Composition Deriving

Although detailed flowcharts were provided for chemical composition deriving for Figures 2, 3 and 4, specific examples will now be provided. It will be understood that these examples are illustrative and are not to be viewed as limiting.

- 5 Three examples will be given: calculating a Regulatory Bill of Material when all the working components table components are reactants (Block 203 of Figure 2); calculating a Regulatory Bill of Materials for a simple mixture (Figure 4); and calculating a polymer Regulatory Bill of Materials (Figure 3).

- 10 Example 9: Calculating a Regulatory Bill of Material 122 when all of the Working Components Table components are Reactants (Block 203):

Given:

- 15 Mfg. BOM for product Material P2345678 (Target Material), Family 71000600, 1000 kg basis:

	<u>Component Material</u>	<u>Class</u>	<u>Qty.</u>	<u>Family</u>
	50000006	REA	400 kg	71000111
20	50000007	REA	300	71000222
	50000008	CAT	200	71000333
	50000009	CAT	<u>100</u>	71000444
			1000 kg	

- 25 Chemical Composition Deriving:

1. Read the Target Material Mfg. BOM Components and select those that are relevant for ascertaining the Material's chemical composition (Block 201).

The Catalysts (50000008 and 50000009) are ignored, building the following Working Components Table of the selected Components:

- 23 -

Working Components Table

<u>Component</u>	<u>Material</u>	<u>Class</u>	<u>Qty.</u>	<u>Family</u>
50000006		REA	400 kg	71000111
50000007		REA	<u>300</u>	71000222
5			700 kg	

2. Are all of the Working Components Table components 'Reactants' (Block 202)?
Yes.

- 10 3. The Target Material's chemical identifier is 100% of the Regulatory Bill of Material composition (Block 203).

Family Table

<u>Family</u>	<u>Chemical Id</u>
15 ...	
71000600	11000-00
...	

- 20 Target Material P2345678 is a member of Family 71000600, which is 100% of Chemical Id. 11000-00.

4. Build the Regulatory Bill of Material for the Target Material (Block 208).

Family Regulatory Bills of Material:

<u>Family</u>	<u>Chemical Id.</u>	<u>% Weight</u>
25 71000600	11000-00	100%

Example 10: Calculating the Regulatory Bill of Material for a simple mixture (Block 207):

Given:

30

Mfg. BOM for product Material P3456789 (Target Material), Family 71000700, 1000 kg basis:

- 24 -

	<u>Component Material</u>	<u>Class</u>	<u>Qty.</u>	<u>Family</u>
	50000011	BAS	500 kg	71001000
	50000012	ADD	300	71002000
5	50000013	ADD	<u>200</u>	71003000
			1000 kg	

Family Regulatory Bills of Material:

	<u>Family</u>	<u>Chemical Id.</u>	<u>% Weight</u>
10	71000600	11000-00	100%
	71001000	00010-00	100%
	71002000	00020-00	100%
	71003000	00030-00	30%
	71003000	00040-00	70%

15

Chemical Composition Deriving:

1. Read the Target Material Mfg. BOM Components and select those that are relevant for ascertaining the Material's chemical composition (Block 201).

All Components are kept, building the following Working Components Table of the

20 selected Components:

Working Components Table

	<u>Component Material</u>	<u>Class</u>	<u>Qty.</u>	<u>Family</u>
	50000011	BAS	500 kg	71001000
25	50000012	ADD	300	71002000
	50000013	ADD	<u>200</u>	71003000
			1000 kg	

2. Are all of the Working Components Table components 'Reactants' (Block 202).

30 No.

- 25 -

3. Recalculate the new basis weight for the Target Material, based on the selected Components' weights in the original Mfg. BOM (Block 204).

The sum of the remaining Components is 1000 kg.

5

4. Is there at least one Monomer in the Working Components Table (Block 205).

No.

5. Calculate the Regulatory Bill of Material for the simple mixture of Bases (BAS),
10 Additives (ADD) and/or Impurities (IMP) (Block 207).

For each Component in the Working Components Table, retrieve the
Component's Family Regulatory Bill of Materials (Block 401).

15 Family Regulatory Bills of Material:

<u>Family</u>	<u>Chemical Id.</u>	<u>% Weight</u>
71001000	00010-00	100%

71002000	00020-00	100%
----------	----------	------

20

71003000	00030-00	30%
----------	----------	-----

71003000	00040-00	70%
----------	----------	-----

6. Build a Chemical Derivation Table, substituting the Chemical Identifiers in the
25 Component Family Regulatory BOM for the Components in the Working
Components Table (Block 402).

Derived Chemical Weight = (Component Weight from Working Components
Table) x (% of Chemical in Component Family Regulatory BOM).

30

- 26 -

(Calculation matrix:)

	Component	Chemical	Family	Derived	
	Component	Weight	Id.	Chem %	Weight
5	50000011	500kg	00010-00	100%	500kg
	50000012	300kg	00020-00	100%	300kg
	50000013	200kg	00030-00	30%	60kg
	50000013	200kg	00040-00	70%	<u>140kg</u>
					1000kg

10 Chemical Derivation Table

	Chemical Id	Weight
	00010-00	500 kg
	00020-00	300
15	00030-00	60
	00040-00	<u>140</u>
		1000kg

7. Calculate the new Regulatory BOM percentage for each chemical in the Chemical Derivation Table (Block 404). Calculation:

Chemical Regulatory BOM Percentage = (Derived Chemical Weight) / (Sum of all Derived Chemical Weights in the Chemical Derivation Table).

25 Chemical Derivation Table

	Chemical Id	Weight	Percentage
	00010-00	500 kg	50%
	00020-00	300	30%
30	00030-00	60	6%
	00040-00	<u>140</u>	<u>14%</u>
		1000kg	100%

- 27 -

(Sum the calculated weights for Chemicals that appear more than once. None in this example.)

5 8. Build the Regulatory Bill of Material for the Target Material (Block 208).

Family Regulatory Bills of Material:

	<u>Family</u>	<u>Chemical Id.</u>	<u>% Weight</u>
10	71000700	00010-00	50%
	71000700	00020-00	30%
	71000700	00030-00	6%
	71000700	00040-00	14%
15	71001000	00010-00	100%
	71002000	00020-00	100%
	71003000	00030-00	30%
20	71003000	00040-00	70%
	...		

Example 11: Calculating the Polymer Regulatory Bill of Materials (Block 206):

Given:

25

Mfg. BOM for product Material P1234567 (Target Material), Family 71000500, 1000 kg basis:

- 28 -

	<u>Component Material</u>	<u>Class</u>	<u>Qty.</u>	<u>Family</u>
	50000001	MON	300 kg	71000100
	50000002	MON	300	71000200
5	50000003	CAT	100	71000999
	50000004	ADD	150	71000300
	50000005	ADD	<u>150</u>	71000400
			1000 kg	

10 Family Regulatory Bills of Material:

	<u>Family</u>	<u>Chemical Id.</u>	<u>% Weight</u>
	...		
	71000100	10000-00	100%
	71000200	20000-00	100%
15	71000300	30000-00	30%
	71000300	35000-00	70%
	71000400	40000-00	40%
	71000400	45000-00	60%

20

Chemical Composition Deriving:

1. Read the Target Material Mfg. BOM Components and select those that are relevant for ascertaining the Material's chemical composition (Block 201).

25

The Catalyst (50000003) is ignored, building the following Working Components Table of the selected Components:

- 29 -

Working Components Table

	<u>Component Material</u>	<u>Class</u>	<u>Qty.</u>	<u>Family</u>
	50000001	MON	300 kg	71000100
5	50000002	MON	300	71000200
	50000004	ADD	150	71000300
	50000005	ADD	<u>150</u>	71000400
			900 kg	

- 10 2. Are all of the Working Components Table components 'Reactants' (Block 202)?

No.

3. Recalculate the new basis weight for the Target Material, based on the selected
15 Components' weights in the original Mfg. BOM (Block 204).

The sum of the remaining Components is 900 kg.

4. Is there at least one Monomer in the Working Components Table (Block 205).
20 Yes, there are 2: 50000001 and 50000002.

5. For each Component in the Working Components Table, retrieve the Component's
Family Regulatory BOM (containing the Component chemicals) (Block 301).

- 25 Family Regulatory Bills of Material:

	<u>Family</u>	<u>Chemical Id.</u>	<u>% Weight</u>
	71000100	10000-00	100%
	71000200	20000-00	100%
	71000300	30000-00	30%
30	71000300	35000-00	70%
	71000400	40000-00	40%
	71000400	45000-00	60%

- 30 -

6. Build a Polymer Derivation Table, substituting the Chemical Identifiers in the Component Family Regulatory BOM for the Components in the Working Components Table (Block 302).

5

Polymer Derivation Table

	<u>Chemical Id.</u>	<u>Calculated Weight</u>	<u>Class</u>
	10000-00		MON
	20000-00		MON
10	30000-00		ADD
	35000-00		ADD
	40000-00		ADD
	45000-00		ADD

- 15 7. Calculate the chemical component ratios in the Working Components Table, summing for chemicals that appear more than once (Block 303). Calculation:

Derived Chemical Weight = (Component Weight from Polymers Derivation Table) x (% of Chemical in Component Family Regulatory BOM).

20

(Calculation matrix:)

	<u>Component</u>	<u>Component Weight</u>	<u>Chemical Id.</u>	<u>Family Chem %</u>	<u>Derived Weight</u>
25	50000001	300kg	10000-00	100%	300kg
	50000002	300kg	20000-00	100%	300kg
	50000004	150kg	30000-00	30%	45kg
	50000004	150kg	35000-00	70%	105kg
	50000005	150kg	40000-00	40%	60kg
30	50000005	150kg	45000-00	60%	<u>90kg</u>
					900kg

- 31 -

Store the result in the Polymer Derivation Table.

(See combined results in Step 7.)

8. Calculate the new Regulatory BOM percentage for each chemical in the Polymer
5 Derivation Table (Block 304). Calculation:

Chemical Regulatory BOM Percentage = Derived Chemical Weight / Sum of all
Derived Chemical Weights in the Polymer Derivation Table.

10 Polymer Derivation Table

	<u>Chemical Id</u>	<u>Weight</u>	<u>Percentage</u>	<u>Class</u>
	10000-00	300 kg	33%	MON
	20000-00	300	33%	MON
15	30000-00	45	5%	ADD
	35000-00	105	12%	ADD
	40000-00	60	7%	ADD
	45000-00	<u>90</u>	<u>10%</u>	ADD
		900	100%	

20

(Sum the calculated weights for Chemicals that appear more than once. None in this example.)

9. Discard all Monomer (MON) chemicals found in the Polymer Derivation Table
25 that are less than 2% (Block 305).

(None in this example.)

10. If any Monomers are discarded due to the 2% rule, then recalculate the
30 Regulatory BOM percentages for each chemical in the Polymer Derivation Table
(Block 306). Calculation:

Chemical Regulatory BOM Percentage = Derived Chemical Weight / Sum of all remaining Derived Chemical Weights in the Adjusted Polymer Derivation Table.

(Not in this example.)

5

11. Translate each Monomer (MON) chemical in the Polymer Derivation Table to its generic Monomer Code retrieved from the Monomer Code Table (Block 307).

Monomer Chemicals Table (Multiple Chemicals can represent the same monomer.)

10

Monomer

<u>Chemical</u>	<u>Monomer</u>
-----------------	----------------

00030-00	DMT
----------	-----

10000-00	EG
----------	----

15

20000-00	CHDM
----------	------

93992-00	DMT
----------	-----

...	...
-----	-----

20 Monomer Code Table

<u>Monomer</u>	<u>Monomer Name</u>
----------------	---------------------

CHDM	Cyclohexanedimethanol
------	-----------------------

DMT	Dimethyleneterephthalate
-----	--------------------------

EG	Ethylene Glycol
----	-----------------

25

...	...
-----	-----

12. For the set of Monomer Codes derived in the above step, use the Monomers in Monomer Set Table to find the corresponding Monomer Set (Block 308) that contains all of the monomer codes but only those monomer codes.

- 33 -

Monomers in Monomer Set Table		Polymer Table	
<u>Monomer</u>	<u>Monomer Set</u>	<u>Monomer Set</u>	<u>Polymer Chemical Id.</u>
EG	1	1	50000-00
CHDM	1	2	60000-00
5 DMT	1		
EG	2		
CHDM	2		

13. Using the Monomer Set identifier, retrieve the corresponding Polymer Chemical Identifier from the Polymer Table (Block 309).

(See retrieval of Polymer Chemical Id. 50000-00 above.)

14. Substitute the Polymer Chemical Identifier for all of the corresponding monomer chemicals in the Polymer Derivation Table. The ratio percentage for the Polymer Chemical identifier will be the sum of the percentages for the replaced monomers (Block 310).

Polymer Derivation Table			
<u>Chemical Id</u>	<u>Weight</u>	<u>Percentage</u>	<u>Class</u>
50000-00	600 kg	66%	
30000-00	45	5%	ADD
35000-00	105	12%	ADD
40000-00	60	7%	ADD
25 45000-00	<u>90</u>	<u>10%</u>	ADD
	900	100%	

15. Build the Regulatory Bill of Material for the Target Material (Block 208).
(The Target Material's Family is 71000500, adding the following entries:)

- 34 -

Family Regulatory Bills of Material:

	<u>Family</u>	<u>Chemical Id.</u>	<u>% Weight</u>
	71000500	30000-00	5%
	71000500	35000-00	12%
5	71000500	40000-00	7%
	71000500	45000-00	10%
	71000500	50000-00	66%

Referring again to Figure 1, it will be understood that manual adjusting 123
10 may be performed on the regulatory bills of material 122 that were calculated in
Figures 2-4 in order to add impurities that are present in the chemical compositions
122.

Compliance Comparing 130: Overview

15 In response to the automated product sales order entry 111, and the Regulatory
Bills of Materials 122 corresponding to the automated product sales order entry 111,
regulatory compliance verifying 133 compares the chemical compositions 122 to a
stored set of government regulatory standards that are contained in regulatory
databases 131 and maintained by regulatory database maintenance 132 in order to
20 determine compliance. Prior to describing the details of compliance comparing 130,
background on regulatory compliance and overall rules for compliance will be
described.

The U.S. chemical industry is regulated by many laws including but not
limited to TSCA, RCRA, SARA, CDTA, FIFRA, FFDCA. Other countries have
25 many similar laws that control the chemicals that may be used for commercial use
within their boundaries. An overview of these laws will now be provided.

Toxic Substances Control Act (TSCA)

TSCA is a complex set of laws that defines all chemicals (which include
30 polymers) as being either "existing" or "new". Existing chemicals are those which are
on a list called the TSCA inventory. Existing chemicals were placed on the inventory
either by grandfathering when TSCA was enacted or by premanufacture notification

since that time. Existing chemicals may be used (with some exceptions) for any commercial application. New chemicals, on the other hand, generally must be reviewed by the Environmental Protection Agency (EPA) and approved prior to use for commercial applications. The review process is called PreManufacture

5 Notification (PMN).

Thus, a first aspect of regulatory compliance verifying 133 is to ensure that all of the chemicals (or all of the components in mixtures) used, manufactured or sold in the U.S. are on the TSCA inventory. This can be accomplished by determining the composition of the products and checking them against a computerized list of
10 chemicals on the TSCA inventory in the regulatory database 131.

There are several exemptions to listing all chemicals on the TSCA inventory. One exemption is the TSCA Research and Development exemption. This states that a company need not make a premanufacture notification for any chemicals that are used solely for research and development purposes. However, there are restrictions on how
15 these chemicals must be handled and managed. Briefly, research and development chemicals may be used, sampled and even evaluated as long as they are not placed into commerce. Thus, orders for these chemicals, which are not on the TSCA inventory, must be checked to ensure that only certain customers can order them. The links between approved customers and the R&D products can be made in regulatory
20 compliance verifying 133 and orders entered by nonapproved customers may be blocked.

Another aspect of TSCA is that a manufacturer must notify the EPA each time it samples or sells any of certain listed chemicals into another country for the first time. Keeping up with dozens of such chemicals and over a hundred countries may
25 be difficult. Making this requirement more difficult is that the rule does not have a minimum limit for impurities or additives. Thus, it may be important to know the exact composition of each and every product so that proper notifications can be made.

Another aspect of TSCA is that EPA can request data on chemicals that contain or are made with certain chemicals at its will. A manufacturer may need to
30 identify any products that contain those chemicals in order to determine its reporting liabilities. This aspect may not result in an order block, but may rely on the compositional data to determine what reports must be made.

- 36 -

Similar laws have been enacted in Canada, the European Union, Australia, Japan, China, South Korea and the Philippines. The Regulatory Compliance Verifying 133 interacts with all of these nations by checking both the ship-from country and the ship-to country and against the inventories of each country.

- 5 Generally, all of these inventories may be different.

Federal Insecticide, Fungicide and Rodenticide Act (FIFRA)

- 10 Pesticides are regulated by FIFRA and not by the general TSCA law. Thus, the Regulatory Compliance Verifying 133 identifies any materials or products that are pesticides and checks their compliance with pesticide laws in the world. The sale of pesticides may be restricted to specific customers by linking the material identity to the customer location number and other customers would be blocked if they attempt to order a restricted chemical.

15 Chemical Diversion and Trafficking Act (CDTA)

- The Drug Enforcement Administration (DEA) administers the CDCA. This regulation requires a manufacturer to maintain certain records, to establish a list of approved customers for certain chemicals, to notify DEA immediately of any new potential customers and to hold their orders for 15 days while the DEA investigates them, and to notify and hold all export orders for those certain chemicals. The regulatory compliance verifying block 133 can ensure that all customers for these chemicals are approved prior to shipment.

Chemical Warfare Convention (CWC)

- 25 This new treaty will require manufacturers to manage certain chemicals in a special way that will help ensure that these precursors to chemical weapons are not stolen or ordered by certain countries. Although the implementing regulations have not been promulgated yet, the regulatory compliance verifying block may include the ability to limit the sales of CWC chemical.

Customer-Specific Chemicals

The regulatory compliance verifying block may also be able to limit the sale of any chemical to one or more specific customers. This may be used when toll manufacturing a chemical for a customer or if the chemical is subject to a secrecy agreement.

The regulatory databases 131 include listings of chemicals that are regulated by these various regulations. These databases may be provided by outside suppliers or may be generated internally by studying the regulations. An example of the regulatory databases is shown in Figure 5A and Figure 5B which together form Figure 5 as indicated. Since the present invention is independent of the details in the regulatory databases 131, a detailed description of each database need not be provided. A detailed description of a regulatory database, such as a TSCA database, may be found in National Inventories, as available from Chemical Abstracts Service, the disclosure of which is hereby incorporated herein by reference.

An overview of the business rules for regulatory compliance verifying 133 will now be provided. These rules are embodied in the regulatory databases 131 (Figure 5) and are maintained and updated by regulatory database maintenance Block 132 of Figure 1:

1. Customer locations. The SAP ship-to customer location codes 528 may be too detailed for use in the regulatory world. A generic "city location" customer number 530 may be used.
2. Regulated countries 520, 504, 512. This list includes countries that have enacted regulations governing the import of chemicals across their borders. If a ship-from or ship-to country is not regulated, then no regulatory checks are required for that country. The rules check both the ship-from and the ship-to countries on the order.
3. Chemical Inventory Lists 506, 508, 516, 518. Most heavily industrialized countries have their own published lists of chemicals that are legal for import. If a product is to be imported into one of those countries, then the product's chemical components must all be on that country's approved list of chemicals. In the

U.S., the approved list of chemicals is covered under the "Toxic Substances Control Act" (TSCA).

4. Restricted Chemical Lists 524. There are chemical restrictions specific to countries that define rules outside of the Chemical Inventory Lists. Some of these
5 rules prevent shipment to countries/customers; others allow shipment under specific conditions:

- a. If a chemical is FDA-restricted, then customers must be approved to buy the chemical.
- b. If a chemical is DEA-restricted, then customers must be
10 approved to buy the chemical.
- c. If a chemical is an ozone-depleting agent, shipment may be disallowed.
- d. If a chemical is a chemical-warfare agent, disallow shipment.
- e. If a chemical is flagged for research and development use only
15 in a region, then a check is made to see if an annual or cumulative volume limit applies. If so, then the calculated order volume of the chemical is summed to the respective accumulators, unless the limit is exceeded.
- f. If chemical has commercial annual or cumulative volume
20 limits, the same types of checks and summations are done as in 2e above. Note that research and development vs. commercial limits are generally mutually exclusive.
- g. If a chemical is banned, it is banned in a country, not in an
25 Alliance. Shipments are not allowed if the chemical is banned in the ship-to country.

5. Export Notification Lists 514. The U.S. government has two chemical inventory lists dealing with chemicals that are exported to other countries. One list is the Annual Export Notification List. If a chemical on this list is shipped to any country during the year, the EPA requires a formal notification the first time it is
30 shipped every year. The other list is the One-Time Export Notification List, which means that if a chemical on this list is shipped to any country at any time, the EPA requires a formal notification the first time a manufacturer ever records a shipment.

These notifications may be sent as automatic faxes to the EPA. The logic can avoid sending false notifications: no notifications are sent if the logic detects any other type of order exception.

6. New York Bulk Shipment List. The state of New York (USA) has a
5 list of chemicals requiring New York customers who store the chemicals in bulk tanks to register the chemical/tank with the state government. If a chemical component is in the NYBS list, then the customer location must be approved for the location to clear the order. Note that customers are linked to the NYBS chemicals even if the customer does not currently store the chemical in a bulk tank. (They may drum the chemical
10 instead.) This is to avoid continually flagging exceptions. In these cases, it is noted that the rule does not apply to the customer's use of the chemical.

7. Sales-Restricted Products 532. A product may be restricted for sale to any customer for regulatory precautions. Since this check applies to the product and not to the chemical components, the Family GMN 520 is flagged for sales restrictions.
15 The customer must be linked to the Family GMN and be approved to allow the sale.

8. Shipping Compatibility 510. If a chemical is to be shipped in compartmentalized tank cars/trucks, then a shipping compatibility check is made for all products on the order. A compatibility matrix of chemical classifications is maintained, specifying which classes 522 are hazardous to mix. The Family GMNs
20 520 are updated with the proper chemical classifications to allow the checks to be made.

Details of Regulatory Compliance Verifying Block 133

Referring now to Figures 6A, 6B and 6C, which together form Figure 6 as
25 indicated, detailed operations of regulatory compliance verifying 133 of Figure 1 will now be described. As shown in Figure 6, in response to an order entry 111, a test is made at Block 601 as to whether the product has chemical components. If NO, an exception is noted (Block 135) and operations end.

Returning to Block 601, if the product has chemical components, then at
30 Block 602 a test is made as to whether the shipped-from country is regulated. This test determines if a country from which the order is shipped is regulated by a law such as TSCA. If the shipped-from country is regulated, then a test is made at Block 603

as to whether a chemical in the shipped-from country is restricted. In particular, countries that have inventories may also exempt some chemicals from inventory listing if they are regulated by other laws enforced at the same time. Examples are chemicals for foods, drugs, cosmetics, pesticides, tobacco, nuclear and chemicals.

- 5 These are sent for restriction checks at Block 604. Restriction checks will be described in detail in connection with Figure 7.

If the result of the test of Block 603 is NO, then at Block 604 a test is made as to whether the chemical is on the shipped-from country's inventory. If NO, an exception is issued at Block 135. If YES, then tests are made as to whether the
10 shipped-to country is regulated at Block 606. If YES, then at Block 607, a test is made as to whether the chemical in the shipped-to country is restricted. If YES, restriction checks of Figure 7 are performed at Block 604. If NO, a test is made as to whether the chemical is on a shipped-to country's inventory at Block 608, and if NO, an exception 135 is produced.

- 15 Continuing with the description of Figure 6, a test is then made at Block 610 as to whether the Family is sales-restricted. In particular, a manufacturer may have many reasons for restricting the sales of certain chemicals to selected customers only. One reason may be toll manufacturing agreements. Other reasons may be restriction on use only to customers who are able to use the chemical safely and only in safe
20 applications. Yet another restriction may be a secrecy agreement. Thus, the sales restrictions may not be based on regulations but rather may be based on a manufacturer's policy.

- If the Family is sales restricted at Block 610, a test is made at Block 609 as to whether Family or customer cross-references exist that tie the restriction to a
25 particular customer. If NO, then an exception is created at Block 135. If YES, a test is made at Block 611 as to whether the customer is sales-restricted. If YES, an exception is made at Block 135.

- A test is then made at Block 620 as to whether a shipment is going to be made in a compartmental tank car or truck. If YES, a test is made at Block 621 as to
30 whether the chemicals are compatible. If not, an exception is created at Block 135.

The test at Block 622 determines whether an exception has ever been made in any of the above operations. If YES, the exception can be indicated. Alternatively,

modifications may be made at Block 136. More specifically, an expert system may be used in conjunction with regulatory compliance verifying Block 133 to suggest modifications to the regulatory bill of materials 122 to make the chemical compliant. For example, substitutions of components in mixtures that are not in the inventory of existing substances for the shipped-to country may be suggested. Alternatively, compositional information in the database may be used to determine the amounts of SARA chemicals on hand or disposed at a plant site. Compositional information can be used to manage reporting of RCRA wastes and EPCRA releases. The compositional information and bills of materials can also be reviewed periodically for opportunities to change to processes that are more environmentally friendly, i.e. "green chemistry". Accordingly, rather than merely flagging an exception, modifications 136 may be proposed.

Continuing with the description of Figure 6, at Block 623, R&D or commercial volume accumulators are updated as necessary if there were no exceptions. Then, at Block 624, an export notification check is performed by checking whether the chemicals are being shipped from the U.S. to a foreign country. In particular, TSCA Section 12(b) requires that the EPA be notified under certain conditions when specified chemicals are exported for the first time to each country, sometimes annually and sometimes once. See 40 CFR 707.65. Chemicals subject to TSCA Section 4 regulations are notified only once per country. Other chemicals subject to Section 5 or 6 regulations are to be notified each year for each country. Accordingly, a test is made at Block 625 as to which requirement a chemical is subject. If YES, a test is made at Block 626 as to whether this country has been notified yet. If NO, at Block 627, a notification letter is created to produce an export notification to the EPA and export notification flags are updated.

Returning to Block 625, if NO, a test is made at Block 628 as to whether the chemical is on the other control list. If YES, a test is made at Block 629 if the country has ever been notified, and at Block 627 a notification may be sent.

Referring now to Figures 7A and 7B, which form Figure 7 as indicated, operations for restriction checks (Block 604 of Figure 6) will now be described. At Block 701, a test is made as to whether the chemical is FDA-use only in the region. In particular, chemicals that are used in foods, drugs and cosmetics are regulated by

the Federal Food, Drug & Cosmetic Act (FFDCA) in the U.S., and by similar laws in other countries. They are exempt from TSCA and similar laws in other countries. Thus, the check at Block 701 is used to ensure that the customer is ordering such a chemical for use in a food, drug, cosmetic or such applications. The FFDCA regulations are in 21 CFR. If YES at Block 701, a test is made at Block 702 as to whether the customer is approved for FDA use. If not, an exception is created at Block 135.

If the chemical is not for FDA uses only at Block 701, a test is made at Block 703 as to whether a chemical is banned in a country. The only case that is presently in effect is the outright ban of cadmium compounds in Sweden. If YES, an exception is created at Block 135.

Then at Block 704, a test is made as to whether the chemical is an ozone-depleting agent. The Montreal Protocol is an international treaty that proposes to reduce the emissions of ozone-depleting substances, such as some of the freons, from further reducing ozone in the atmosphere. The U.S. regulations are located in 40 CFR §82.

A test is then made at Block 705 as to whether the chemical is a chemical warfare agent. The U.S. recently signed the Chemical Warfare Convention. Implementing legislation has not been implemented yet. Once implemented, it can be used in this test.

Referring now to Block 706, a test is made as to whether the chemical is an essential drug precursor. The Drug Enforcement Administration (Department of Justice) permits the export of certain chemicals that are useful for the manufacture and processing of illicit drugs. See 21 CFR §1307ff. If YES, then at Block 707, a test is made as to whether a customer is approved for a drug precursor chemical. If not, the order is flagged for 15 days at Block 708 and DEA is notified.

Referring now to Block 709, a test is made as to whether the chemical is for R&D use only. TSCA, specifically 40 CFR §710.4(c)(3), exempts certain chemicals from listing on the National Inventory of Commercial Chemical Substances under certain conditions. Other regulations may do the same. Often, the amount of R&D substance which may be manufactured is restricted. See also Canadian Environment Protection Act (CEPA) Section 218(1)(a). At Block 709, if the chemical is R&D-use

only, then a test is made at Block 710 as to whether the chemical has R&D annual limits in the shipped-to region. If YES, a test is made at Block 711 as to whether the ordered quantity is greater than the annual limit. If YES, an exception is created at Block 135. If NO, a test is made as to whether the chemical has a cumulative limit in
5 the shipped-to country at Block 712. If YES, a test is made at Block 713 as to whether the ordered quantity exceeds the cumulative limit. If YES, an exception is flagged.

Referring now to Block 714, a test is made as to whether the chemical has commercial manufacture/import limits. The U.S. and Japan do not limit import or
10 manufacture of R&D chemicals, but other regulatory countries may. In addition, Canada and the European Union impose limits on the amount of chemicals that may be manufactured or used for commercial purposes until toxicity and property testing is submitted to the agencies and is approved. These limits are both annual and cumulative. See, for example, EU directive 67/548/EEC. Accordingly, if there is a
15 cumulative limit, then at Block 717, a test is made on the ordered quantity, and if YES, an exception 135 is created.

In the drawings and specification, there have been disclosed typical preferred embodiments of the invention and, although specific terms are employed, they are used in a generic and descriptive sense only and not for purposes of limitation, the
20 scope of the invention being set forth in the following claims.

What is Claimed is:

1. A method of determining compliance of a chemical product to be manufactured to government regulations that govern the manufactured product, the method comprising the following steps that are performed in a data processing system:

- 5 ascertaining which chemical compositions are present in the chemical product to be manufactured; and
- comparing the chemical compositions so ascertained to a stored set of government regulatory standards relating to the chemical compositions to determine compliance.

2. A method according to Claim 1 wherein the ascertaining step comprises the steps of:

- obtaining a bill of materials comprising the chemical components of the chemical product to be manufactured; and
- 5 deriving from the bill of materials the chemical compositions present in the manufactured chemical product.

3. A method according to Claim 1 wherein the comparing step comprises the steps of:

- comparing the chemical compositions so ascertained to a stored set of government regulatory standards governing the manufacturing location for the
- 5 manufactured chemical product; and
- comparing the chemical compositions so ascertained to a stored set of government regulatory standards governing the destination location for the manufactured chemical product.

4. A method according to Claim 1 wherein the ascertaining step is performed in response to receipt of a customer order for the chemical product.

5. A method according to Claim 1:

wherein the ascertaining step is performed to ascertain which chemical compositions are present in a plurality of chemical products that can be manufactured in a chemical plant; and

- 5 wherein the ascertaining step further comprises the step of:
in response to a customer order for a chemical product selected from the plurality of chemical products, retrieving the chemical composition that was ascertained for the selected chemical product.

6. A method according to Claim 2 wherein the deriving step comprises the steps of:

identifying a manufacturing bill of materials that is associated with the chemical product; and

- 5 creating a regulatory bill of materials from the manufacturing bill of materials.

7. A method according to Claim 2:

wherein the obtaining step is preceded by the step of obtaining a customer order for a chemical product; and

- 5 wherein the obtaining step comprises the step of obtaining a bill of materials for the chemical product corresponding to the customer order.

8. A method according to Claim 1 wherein the ascertaining step comprises the steps of:

obtaining a bill of materials comprising the chemical components of the chemical product to be manufactured;

- 5 for each component, assigning a component class to which the component belongs, the component classes selected from the group consisting of bases, additives, reactants and monomers; and

determining the chemical compositions from the components and the component classes so assigned.

9. A method according to Claim 1 wherein the comparing step is followed by the step of:

proposing modifications to noncomplying chemical products so that the chemical product to be manufactured becomes complying.

10. A method according to Claim 1:

wherein the ascertaining step comprises the step of ascertaining which chemical compositions are present in the chemical product including chemical compositions of impurities that are present in the chemical product; and

5 wherein the comparing step comprises the step of comparing the chemical compositions so ascertained including the chemical compositions of the impurities, to a stored set of government regulatory standards to determine compliance.

11. A method according to Claim 2:

wherein the following step is performed between the obtaining step and the deriving step:

5 adding impurities to the bill of materials to represent impurities that are present in the chemical product in addition to the chemical compositions of the manufactured chemical product; and

wherein the deriving step comprises the step of deriving from the bill of materials, including the added impurities, the chemical compositions present in the manufactured chemical product including the chemical compositions of the
10 impurities.

12. A method according to Claim 2 wherein the following step is performed after the deriving step:

adding impurities to the derived chemical composition to account for impurities that are present in the manufactured chemical product.

13. A method of deriving chemical compositions that are present in a chemical product to be manufactured, comprising the following steps that are performed in a data processing system:

5 obtaining a bill of materials comprising the chemical components of the chemical product to be manufactured; and

deriving from the bill of materials the chemical compositions present in the manufactured chemical product.

14. A method according to Claim 13 wherein the obtaining and deriving steps are performed in response to receipt of a customer order for the chemical product.

15. A method according to Claim 13:

wherein the obtaining and deriving steps are performed to ascertain which chemical compositions are present in a plurality of chemical products that can be manufactured in a chemical plant; and

5 wherein the deriving step is followed by the step of:

in response to a customer order for a chemical product selected from the plurality of chemical products, retrieving the chemical composition that was ascertained for the selected chemical product.

16. A method according to Claim 13 wherein the deriving step comprises the steps of:

identifying a manufacturing bill of materials that is associated with the chemical product; and

5 creating a regulatory bill of materials from the manufacturing bill of materials.

17. A method according to Claim 13:

wherein the obtaining step is preceded by the step of obtaining a customer order for a chemical product; and

5 wherein the obtaining step comprises the step of obtaining a bill of materials for the chemical product corresponding to the customer order.

18. A method according to Claim 13 wherein the obtaining step comprises the steps of:

determining a bill of materials comprising the chemical components of the chemical product to be manufactured;

- 48 -

- 5 for each component in the bill of materials, assigning a component class to which the component belongs, the component classes selected from the group consisting of bases, additives, reactants and monomers; and
- wherein the deriving step comprises the step of determining the chemical compositions from the components and the component classes so assigned.

19. A method according to Claim 13:
- wherein the following step is performed between the obtaining step and the deriving step:
- adding impurities to the bill of materials to represent impurities that are
- 5 present in the chemical product in addition to the chemical compositions of the manufactured chemical product; and
- wherein the deriving step comprises the step of deriving from the bill of materials, including the added impurities, the chemical compositions present in the manufactured chemical product including the chemical compositions of the
- 10 impurities.

20. A method according to Claim 13 wherein the following step is performed after the deriving step:
- adding impurities to the derived chemical composition to account for impurities that are present in the manufactured chemical product.

21. A method according to Claim 18 wherein the step of determining the chemical compositions from the components and the chemical classes so assigned comprises the step of:
- if all the components have a component class of reactants, determining the
- 5 chemical composition as the products of a reaction of all the components.

22. A method according to Claim 18 wherein the step of determining the chemical compositions from the components and the chemical classes so assigned comprises the step of:

- if at least one of the components has a component class of monomers,
- 5 determining at least one polymer that is obtained from polymerization of the at least one monomer.

23. A method according to Claim 18 wherein the step of determining the chemical compositions from the components and the chemical classes so assigned comprises the step of:

- if none of the components have a component class of reactants or monomers,
- 5 calculating amounts of chemical compositions in a mixture by summing all the components that appear more than once.

24. A method according to Claim 13 wherein the deriving step comprises the step of ignoring chemical components that are less than a predetermined percentage of the chemical product to be manufactured.

25. A method of determining compliance of chemical compositions of a chemical product to government regulations that govern use or shipment of chemicals, comprising the following steps that are performed in a data processing system:

- comparing the chemical compositions to a stored set of government regulatory
- 5 standards governing the manufacturing location for the manufactured chemical product; and

comparing the chemical compositions to a stored set of government regulatory standards governing the destination location for the manufactured chemical product.

26. A method according to Claim 25 wherein the comparing steps are followed by the step of:

proposing modifications to noncomplying chemical products so that the chemical product to be manufactured becomes complying.

27. A method according to Claim 26 wherein the step of proposing modifications comprises the step of:

- 50 -

using an expert system to propose substitution of a noncomplying chemical composition with a complying chemical composition.

28. A method according to Claim 25:

wherein the chemical compositions include chemical compositions of impurities that are present in the chemical product; and

5 wherein each of the comparing steps comprises the step of comparing the chemical compositions including the chemical compositions of the impurities, to a stored set of government regulatory standards to determine compliance.

29. A method according to Claim 25 wherein each of the comparing steps comprises the step of comparing the chemical compositions to a stored set of government regulatory standards including at least one of toxic chemical standards, food and drug standards, banned chemical standards, ozone depleting chemical
5 standards, chemical warfare agent standards, drug precursor standards, research and development use standards, and volume limit standards.

30. A method according to Claim 25 wherein the step of comparing the chemical compositions to a stored set of government regulatory standards governing the manufacturing location for the manufactured chemical product comprises the step of:

5 if the manufacturing location and the destination location are in different countries, comparing the chemical compositions to a stored set of export restrictions for the manufacturing location.

31. A method according to Claim 30 wherein the step of comparing the chemical compositions to a stored set of export restrictions for the manufacturing location is followed by the step of:

automatically notifying a governmental authority of the proposed export.

32. A method according to Claim 25 further comprising the step of:

comparing the chemical compositions to a stored set of contractual agreements of the manufacturer that limit sales or use of the chemical compositions.

33. A method according to Claim 25 further comprising the step of:
comparing the chemical compositions to a stored set of shipment compatibility constraints on the chemical compositions.

34. A data processing system for determining compliance of a chemical product to be manufactured to government regulations that govern the manufactured product, the data processing system comprising:

- means for ascertaining which chemical compositions are present in the
- 5 chemical product to be manufactured; and
- means for comparing the chemical compositions so ascertained to a stored set of government regulatory standards relating to the chemical compositions to determine compliance.

35. A system according to Claim 34 wherein the ascertaining means comprises:

- means for obtaining a bill of materials comprising the chemical components of
- the chemical product to be manufactured; and
- 5 means for deriving from the bill of materials the chemical compositions present in the manufactured chemical product.

36. A system according to Claim 34 wherein the comparing means comprises:

- means for comparing the chemical compositions so ascertained to a stored set of government regulatory standards governing the manufacturing location for the
- 5 manufactured chemical product; and
- means for comparing the chemical compositions so ascertained to a stored set of government regulatory standards governing the destination location for the manufactured chemical product.

37. A system according to Claim 34 wherein the ascertaining means is responsive to receipt of a customer order for the chemical product.

38. A system according to Claim 34:
wherein the ascertaining means comprises means for ascertaining which chemical compositions are present in a plurality of chemical products that can be manufactured in a chemical plant; and

5 wherein the ascertaining means further comprises:
means for retrieving the chemical composition that was ascertained for the selected chemical product in response to a customer order for a chemical product selected from the plurality of chemical products.

39. A system according to Claim 35 wherein the deriving means comprises:

means for identifying a manufacturing bill of materials that is associated with the chemical product; and

5 means for creating a regulatory bill of materials from the manufacturing bill of materials.

40. A system according to Claim 35:

wherein the obtaining means is responsive to a customer order for a chemical product.

41. A system according to Claim 34 wherein the ascertaining means comprises:

means for obtaining a bill of materials comprising the chemical components of the chemical product to be manufactured;

5 means for assigning a component class to which each component belongs, the component classes selected from the group consisting of bases, additives, reactants and monomers; and

means for determining the chemical compositions from the components and the component classes so assigned.

42. A system according to Claim 34 further comprising:

means for proposing modifications to noncomplying chemical products so that the chemical product to be manufactured becomes complying.

43. A system according to Claim 34:

wherein the ascertaining means comprises means for ascertaining which chemical compositions are present in the chemical product including chemical compositions of impurities that are present in the chemical product; and

5 wherein the comparing means comprises means for comparing the chemical compositions so ascertained including the chemical compositions of the impurities, to a stored set of government regulatory standards to determine compliance.

44. A system according to Claim 35 further comprising:

means for adding impurities to the bill of materials to represent impurities that are present in the chemical product in addition to the chemical compositions of the manufactured chemical product; and

5 wherein the deriving means comprises means for deriving from the bill of materials, including the added impurities, the chemical compositions present in the manufactured chemical product including the chemical compositions of the impurities.

45. A system according to Claim 35 further comprising:

means for adding impurities to the derived chemical composition to account for impurities that are present in the manufactured chemical product.

46. A computer program product for determining compliance of a chemical product to be manufactured to government regulations that govern the manufactured product, the computer program product comprising a computer-

readable storage medium having computer-readable program code means embodied in
5 the medium, the computer-readable program code means comprising:

computer-readable program code means for ascertaining which chemical
compositions are present in the chemical product to be manufactured; and

10 computer-readable program code means for comparing the chemical
compositions so ascertained to a stored set of government regulatory standards
relating to the chemical compositions to determine compliance.

47. A computer program product according to Claim 46 wherein the
ascertaining means comprises:

computer-readable program code means for obtaining a bill of materials
comprising the chemical components of the chemical product to be manufactured; and

5 computer-readable program code means for deriving from the bill of materials
the chemical compositions present in the manufactured chemical product.

48. A computer program product according to Claim 46 wherein the
comparing means comprises:

computer-readable program code means for comparing the chemical
compositions so ascertained to a stored set of government regulatory standards

5 governing the manufacturing location for the manufactured chemical product; and

computer-readable program code means for comparing the chemical
compositions so ascertained to a stored set of government regulatory standards
governing the destination location for the manufactured chemical product.

49. A computer program product according to Claim 46 wherein the
ascertaining means is responsive to receipt of a customer order for the chemical
product.

50. A computer program product according to Claim 46:

wherein the ascertaining means comprises computer-readable program code
means for ascertaining which chemical compositions are present in a plurality of
chemical products that can be manufactured in a chemical plant; and

5 wherein the ascertaining means further comprises:

computer-readable program code means for retrieving the chemical composition that was ascertained for the selected chemical product in response to a customer order for a chemical product selected from the plurality of chemical products.

51. A computer program product according to Claim 47 wherein the deriving means comprises:

computer-readable program code means for identifying a manufacturing bill of materials that is associated with the chemical product; and

5 computer-readable program code means for creating a regulatory bill of materials from the manufacturing bill of materials.

52. A computer program product according to Claim 47:

wherein the obtaining means is responsive to a customer order for a chemical product.

53. A computer program product according to Claim 46 wherein the ascertaining means comprises:

computer-readable program code means for obtaining a bill of materials comprising the chemical components of the chemical product to be manufactured;

5 computer-readable program code means for assigning a component class to which each component belongs, the component classes selected from the group consisting of bases, additives, reactants and monomers; and

computer-readable program code means for determining the chemical compositions from the components and the component classes so assigned.

54. A computer program product according to Claim 46 further comprising:

computer-readable program code means for proposing modifications to noncomplying chemical products so that the chemical product to be manufactured

5 becomes complying.

55. A computer program product according to Claim 46:

wherein the ascertaining means comprises computer-readable program code means for ascertaining which chemical compositions are present in the chemical product including chemical compositions of impurities that are present in the
5 chemical product; and

wherein the comparing means comprises computer-readable program code means for comparing the chemical compositions so ascertained including the chemical compositions of the impurities, to a stored set of government regulatory standards to determine compliance.

56. A computer program product according to Claim 47 further comprising:

computer-readable program code means for adding impurities to the bill of materials to represent impurities that are present in the chemical product in addition to
5 the chemical compositions of the manufactured chemical product; and


wherein the deriving means comprises computer-readable program code means for deriving from the bill of materials, including the added impurities, the chemical compositions present in the manufactured chemical product including the chemical compositions of the impurities.

57. A computer program product according to Claim 47 further comprising:

computer-readable program code means for adding impurities to the derived chemical composition to account for impurities that are present in the manufactured
5 chemical product.


1/12

FIG. 1



2/12


FIG. 2



3/12

FIG. 3
FIG. 3A
FIG. 3B

FIG. 3A



4/12





FIG. 3B


5/12

FIG. 4



6/12

FIG. 5A



7/12

FIG. 5B





FIG. 5

FIG.
5AFIG.
5B

8/12

FIG. 6A



9/12

FIG. 6B




FIG. 6C






FIG. 7A



12/12

FIG. 7B



INTERNATIONAL SEARCH REPORT

International application No.
PCT/US98/26286

A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) : Please See Extra Sheet.

US CL : 364/468.15, 468.16

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 364/468.15, 468.16

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

APS: chemical(2a)composit? and (regulat? or compari?)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5,664,112 A (STURGEON et al.) 02 September 1997, see col. 11, line 10 to col. 22, line 60.	1-57.



Further documents are listed in the continuation of Box C.



See patent family annex.

* Special categories of cited documents:	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
A document defining the general state of the art which is not considered to be of particular relevance	*X* document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
E earlier document published on or after the international filing date	*Y* document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*A* documents member of the same patent family
O document referring to an oral disclosure, use, exhibition or other means	
P document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

16 FEBRUARY 1999

Date of mailing of the international search report

29 MAR 1999

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

Paul P. Gordon

Telephone No.

(703) 305-9760

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US98/26286

A. CLASSIFICATION OF SUBJECT MATTER: IPC (6):

GO6F 19/00,
GO6F 17/00

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☒ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.